

Massachusetts Health Care Quality and Cost Information (July 2006 update)

Recommended Care for Preventing Surgical Infections (FY2005)

Hospital Name	Preventative Antibiotic(s) One Hour Before Incision	Preventative Antibiotic(s) Stopped Within 24 Hours After Surgery	Provided Recommended Surgical Infection Prevention
All Massachusetts Hospitals	90%	77%	84%
Anna Jaques Hospital	5	5	5
Athol Memorial Hospital	5	5	5
Baystate Medical Center	94%	77%	86%
Berkshire Medical Center	5	5	5
Beth Israel Deaconess Hospital — Needham Camp	68%	99%	83%
Beth Israel Deaconess Medical Center	5	5	5
Boston Medical Center	5	5	5
Brigham and Women's Hospital	5	5	5
Brockton Hospital	5	5	5
Cambridge Health Alliance	5	5	5
Cape Cod Hospital	87%	58%	73%
Caritas Carney Hospital	77%	69%	73%
Caritas Good Samaritan Medical Center	5	5	5
Caritas Holy Family Hospital & Medical Center	77%	77%	77%
Caritas Norwood Hospital	74%	61%	67%
Caritas St. Elizabeth's Medical Center	94%	76%	85%
Clinton Hospital	5	5	5
Cooley Dickinson Hospital	79%	87%	83%
Emerson Hospital	5	5	5
Fairview Hospital	1,2,3	1,2,3	1,2,3
Falmouth Hospital	90%	78%	84%
Faulkner Hospital	5	5	5
Franklin Medical Center	5	5	5
Hallmark Health System	5	5	5
Harrington Memorial Hospital	5	5	5
HealthAlliance Hospital — Leominster Campus	5	5	5
Heywood Hospital	5	5	5
Holyoke Medical Center	5	5	5
Hubbard Regional Hospital	5	5	5
Jordan Hospital	5	5	5
Lawrence General Hospital	75%	58%	67%
Lowell General Hospital	5	5	5
Marlborough Hospital	5	5	5
Mary Lane Hospital	5	5	5
Massachusetts General Hospital	5	5	5
Mercy Medical Center	5	5	5
Merrimack Valley Hospital	5	5	5
Metrowest Medical Center	74%	74%	74%
Milford Regional Medical Center	83%	40%	62%
Milton Hospital	5	5	5
Morton Hospital and Medical Center	5	5	5
Mount Auburn Hospital	5	5	5
Lahey Clinic — Burlington Campus	5	5	5

Source: CMS Hospital Compare. Quality data submitted by hospitals to the Q10 Clinical Data Warehouse for inpatient charges. www.hospitalcompare.hhs.gov.

Data from: July 2004-June 2005

Footnotes:

- 1: The number of cases is too small (n < 25) for purposes of reliably predicting hospital's performance
- 2: Measure reflects the hospital's indication that its submission was based on a sample of its relevant discharges
- 3: Rate reflects fewer than the maximum possible quarters of data for the measure
- 4: Inaccurate information submitted and suppressed for one or more quarters
- 5: No data is available from the hospital for this measure.
- 6: 0 patients. This hospital treated patients in this condition, but no patients met the criteria for inclusion in the measure calculation.

Massachusetts Health Care Quality and Cost Information (July 2006 update)

Recommended Care for Preventing Surgical Infections (FY2005)

Hospital Name	Preventative Antibiotic(s) One Hour Before Incision	Preventative Antibiotic(s) Stopped Within 24 Hours After Surgery	Provided Recommended Surgical Infection Prevention
All Massachusetts Hospitals	90%	77%	84%
Nantucket Cottage Hospital	5	5	5
Nashoba Valley Medical Center	5	5	5
New England Baptist Hospital	95%	86%	91%
Newton-Wellesley Hospital	96%	51%	74%
Noble Hospital	5	5	5
North Adams Regional Hospital	5	5	5
North Shore Medical Center	5	5	5
Northeast Hospital Corporation	5	5	5
Quincy Medical Center	5	5	86%
Saint Anne's Hospital	5	5	5
Saint Vincent Hospital	78%	69%	5
Saints Memorial Medical Center	5	5	74%
South Shore Hospital	5	5	5
Southcoast Hospitals Group	5	5	5
Sturdy Memorial Hospital	5	5	5
Tufts-New England Medical Center (NEMC)	5	5	5
UMass Memorial Medical Center	5	5	5
Winchester Hospital	5	5	5
Wing Memorial Hospital & Medical Center	5	5	5

Source: CMS Hospital Compare. Quality data submitted by hospitals to the Q10 Clinical Data Warehouse for inpatient charges. www.hospitalcompare.hhs.gov.

Data from: July 2004-June 2005

Footnotes:

- 1: The number of cases is too small (n < 25) for purposes of reliably predicting hospital's performance.
- 2: Measure reflects the hospital's indication that its submission was based on a sample of its relevant discharges.
- 3: Rate reflects fewer than the maximum possible quarters of data for the measure.
- 4: Inaccurate information submitted and suppressed for one or more quarters
- 5: No data is available from the hospital for this measure.
- 6: 0 patients. This hospital treated patients in this condition, but no patients met the criteria for inclusion in the measure calculation.